

State: 31.12.2017

2018 (electronically available on 31.12.2017)

M. Michálek, M. Michálková, G. Blugan, J. Kuebler, Strength of pure alumina ceramics above 1 GPa, **Ceramics International** 44 (2018) 3255–3260

<https://doi.org/10.1016/j.ceramint.2017.11.098>

M. Michálek, M. Michálková, G. Blugan, J. Kuebler, Effect of carbon contamination on the sintering of alumina ceramics, **Journal of the European Ceramic Society** 38 (2018) 193–199

<http://dx.doi.org/10.1016/j.jeurceramsoc.2017.08.011>

2017

F. Moszner, G. Mata-Osoro, M. Chiodi, J. Janczak-Rusch, G. Blugan, J. Kuebler, Mechanical behavior of SiC joints brazed using an active Ag-Cu-In-Ti braze at elevated temperatures, **International Journal of Applied Ceramic Technology**, 2017;14:703–711

DOI: 10.1111/ijac.12689

G. Blugan, C. Strehler, M. Vetterli, B. Ehrle, R. Duttlinger, P. Blösch, J. Kuebler, Performance of Lightweight Coated Oxide Ceramic Composites for Industrial High Speed Wood Cutting Tools: A Step Closer to Market, **Ceramics International** 43 (2017) 8735-8742

<http://dx.doi.org/10.1016/j.ceramint.2017.04.005>

R. Kubrin, G. Blugan, J. Kuebler, Influence of cerium doping on mechanical properties of tetragonal scandium-stabilized zirconia, **Journal of the European Ceramic Society** 37 (2017) 1651–1656

<http://dx.doi.org/10.1016/j.jeurceramsoc.2016.11.038>

A. Aman, R. Jordan, Y. Chen, R. Stadelmann, M. Lugovy, N. Orlovskaya, E.A. Payzant, C. dela Cruz, M.J. Reece, T. Graule, J. Kuebler, Non-congruence of high-temperature mechanical and structural behaviors of LaCoO₃ based perovskites, **Journal of the European Ceramic Society** 37 (2017) 1563–1576

<http://dx.doi.org/10.1016/j.jeurceramsoc.2016.11.005>

2016

M. Michálková, M. Michálek, D. Galusek, G. Blugan, J. Kuebler, P. Šajgalík, Separation of CNF agglomerates from a ceramic suspension by spray drying technique, 1st subm May 2014, resubm May 2016 to **Ceramics International** 42(2016)15787–15792

<http://dx.doi.org/10.1016/j.ceramint.2016.07.044>

M. Lugovy, V. Slyunyayev, N. Orlovskaya, M. Reece, T. Graule, J. Kuebler, Cyclic fatigue effect in particulate ceramic composites, **Journal of the European Ceramic Society** 36 (2016) 3257–3266

<http://dx.doi.org/10.1016/j.jeurceramsoc.2016.05.020>

L. Gorjan, M. Boretius, G. Blugan, F. Gili, D. Mangherini, X. Lizarralde, M. Ferraris, T. Graule, A. Igartua, G. Mendoza, J. Kuebler, Ceramic protection plates brazed to aluminum brake discs, **Ceramics International** 42 (2016) 15739–15746

<http://dx.doi.org/10.1016/j.ceramint.2016.07.035>

B. Jiang, G. Blugan, P. Sturzenegger, U. Gonzenbach, M. Misson, J. Thornberry, R. Stenerud, D. Cartledge, J. Kuebler, Ceramic Spheres - A Novel Solution to Deep See Buoyancy Modules, **Materials** 2016, 9, 529; doi:10.3390/ma9070529

www.mdpi.com/journal/materials

M. Michálek, A. Tewari, G. Blugan, P. Bowen, H. Hofmann, T. Graule and J. Kuebler, New approach to low thermal conductivity of thermal barrier protection with improved mechanical integrity, **Ceramics International** 42 (2016) 6817-6824

<http://dx.doi.org/10.1016/j.ceramint.2016.01.059>

F. Dalcanale, J. Grossenbacher, G. Blugan, M.R. Gullo, J. Brugger, H. Tevaearai, T. Graule, J. Kuebler, Rapid carbon nanotubes suspension in organic solvents using organosilicon polymers, **Journal of Colloid and Interface Science** 470 (2016) 123–131

<http://dx.doi.org/10.1016/j.jcis.2016.02.050>

M. Lugovy, V. Slyunyayev, N. Orlovskaya, E. Mitrentsis, C.G. Aneziris, T. Graule, J. Kuebler, Temperature dependence of elastic properties of ZrB₂-SiC composites, **Ceramics International** 42 (2016) 2439–2445

2015

J. Grossenbacher, M.R. Gullo, F. Dalcanale, G. Blugan, J. Kuebler, S. Lecaudé, H. Tevaearai, J. Brugger, Cytotoxicity evaluation of polymer-derived ceramics for pacemaker electrode applications, **Journal of Biomedical Materials Research: Part A**, Vol.103, Issue 11 (2015) 3625–3632

DOI: [10.1002/jbm.a.35477](https://doi.org/10.1002/jbm.a.35477)

F. Dalcanale, J. Grossenbacher; G. Bugan, R. Gullo, J. Brugger, H. Tevaearai, T. Graule, J. Kuebler, CNT and PDCs: a fruitful association? Study of a polycarbosilane-MWCNT, **Journal of the European Ceramic Society**, Vol.35, Issue 8 (2015) 2215–2224

doi:[10.1016/j.jeurceramsoc.2015.02.016](https://doi.org/10.1016/j.jeurceramsoc.2015.02.016)

M. Michalek, G. Blugan, T. Graule, J. Kuebler Comparison of aqueous and non-aqueous tape casting of fully stabilized ZrO₂ suspensions, **Powder Technology**, 274 (2015) 276–283

doi:[10.1016/j.powtec.2015.01.036](https://doi.org/10.1016/j.powtec.2015.01.036)

L. Gorjan, G. Blugan, T. Graule, J. Kuebler, Effectiveness of capillary extraction process for the debinding of ceramic laminates made by tape casting, **Powder Technology**, 273 (2015) 197–202

doi:[10.1016/j.powtec.2014.12.049](https://doi.org/10.1016/j.powtec.2014.12.049)

L. Gorjan, G. Blugan, M. Boretius, S. De La Pierre, M. Ferraris, V. Casalegno, S. Rizzo, T. Graule, J. Kuebler, Fracture behavior of soldered Al₂O₃ ceramic to A356 aluminum alloy and resistance of the joint to low temperatures exposure, **Materials & Design** 88 (2015) 889–896

<http://dx.doi.org/10.1016/j.matdes.2015.09.067>

F. Fleischhauer, R. Bermejo, R. Danzer, A. Mai, T. Graule, J. Kuebler, Strength of an electrolyte supported solid oxide fuel cell, **Journal of Power Sources** 297 (2015) 158–167

<http://dx.doi.org/10.1016/j.jpowsour.2015.07.075>

Z. Xie, M. Lugovy, N. Orlovskaya, T. Graule, J. Kuebler, M. Mueller, H. Gao, M. Radovic, D. Cullene, Hexagonal OsB₂: Sintering, microstructure and mechanical properties, **Journal of Alloys and Compounds** 634 (2015) 168–178

F. Fleischhauer, M. Ternner, R. Bermejo, R. Danzer, T. Graule, A. Mai, J. Kuebler, Fracture Toughness and Strength Distribution at Room Temperature of Zirconia Tapes used for Electrolyte Supported Solid Oxide Fuel Cells, **Journal of Power Sources** 275 (2015) 217–226

<http://dx.doi.org/10.1016/j.jpowsour.2014.10.083>

Y. Chen, N. Orlovskaya, E.A. Payzant, T. Graule, J. Kuebler, A search for temperature induced time-dependent structural transitions in 10 mol%Sc₂O₃–1 mol%CeO₂–ZrO₂ and 8 mol%Y₂O₃–ZrO₂ electrolyte ceramics, **Journal of the European Ceramic Society** 35 (2015) 951–958

<http://dx.doi.org/10.1016/j.jeurceramsoc.2014.08.030>

J. Grossenbacher, M.R. Gullo, V. Bakumov, G. Blugan, J. Kuebler, J. Brugger, On the micrometre precise mould filling of liquid polymer derived ceramic precursor for 300-µm-thick high aspect ratio ceramic MEMS, **Ceramics International** 41 (2015) 623–629

<http://dx.doi.org/10.1016/j.ceramint.2014.08.112>

F. Fleischhauer, R. Bermejo, R. Danzer, A. Mai, T. Graule, J. Kuebler, High temperature mechanical properties of zirconia tapes used for electrolyte supported solid oxide fuel cells, **Journal of Power Sources** 273 (2015) 237–243

2014

M. Lugovy, A. Aman, Y. Chen, N. Orlovskaya, J. Kuebler, T. Graule, M.J. Reece, D. Ma, A.D. Stoica, K. An, In-situ neutron diffraction of LaCoO₃ perovskite under uniaxial compression. II. Elastic properties, **Journal of Applied Physics**, 116, 013504 (2014); doi: [10.1063/1.4884336](https://doi.org/10.1063/1.4884336),

<http://dx.doi.org/10.1063/1.4884336>

F. Dalcanale, J. Grossenbacher, G. Blugan, M. Gullo, A. Lauria, J. Brugger, H. Tevaearai, T. Graule, M. Niederberger, J. Kuebler, Influence of carbon enrichment on electrical conductivity and processing of polycarbosilane derived ceramic for MEMS applications, **Journal of the European Ceramic Society** 34 (2014) 3559–3570

DOI: [10.1016/j.jeurceramsoc.2014.06.002](https://doi.org/10.1016/j.jeurceramsoc.2014.06.002)

M. Lugovy, N. Orlovskaya, M. Neubert, C.G. Aneziris, T. Graule, J. Kuebler, Time dependent mechanical properties of ZrB₂-SiC ceramic composites: Room temperature fatigue parameters, **Science of Advanced Materials**, Vol. 6, pp.844-852, 2014

DOI: [10.1063/1.4884336](https://doi.org/10.1063/1.4884336)

S. Valet, B. Weisse, J. Kuebler, M. Zimmermann, Ch. Affolter, G.P. Terrasi, Are asymmetric metal markings on the cone surface of ceramic femoral heads an indication of entrapped debris?, **BioMedical Engineering OnLine** 2014

doi:[10.1186/1475-925X-13-38](https://doi.org/10.1186/1475-925X-13-38) ; <http://www.biomedical-engineering-online.com/content/13/1/38>

F. Fleischhauer, A. Tiefenauer, T. Graule, R. Danzer, A. Mai, J. Kuebler, Failure analysis of electrolyte-supported solid oxide fuel cells, **Journal of Power Sources**, 258 (2014) 382-390 <http://dx.doi.org/10.1016/j.jpowsour.2014.02.009>

J. Kuebler, J. Janczak-Rusch, Aktivlöten von Si₃N₄-TiN-Keramik und Stahl mit partikelverstärkten Ag-Cu Lotwerkstoffen, DKG-HB Technische Keramische Werkstoffe, Kapitel 3.9.2.2, J. Kriegesmann (Hrsg.), HvB Verlag, 138. Ergänzungslieferung Jan. 2014

S. Graça, V. Trabadelo, A. Neels, J. Kuebler, V. Le Nader, G. Gamez, M. Döbeli, K. Wasmer, Influence of mosaicity on the fracture behavior of sapphire, **Acta Materialia** 67 (2014) 67-80 <http://dx.doi.org/10.1016/j.actamat.2013.12.004>

G. Blugan, M. Hadad, T. Graule, J. Kuebler, Si₃N₄-TiN-SiC three particle phase composites for wear applications, **Ceramics International** 40 (2014) 1439–1446 <http://dx.doi.org/10.1016/j.ceramint.2013.07.027>

E. Schlenther, H. Özcoban, H. Jelitto, M. Faller, G.A. Schneider, T. Graule, C.G. Aneziris, J. Kuebler, Fracture toughness and corrosion behaviour of infiltrated Al₂O₃IP – Steel composites, **Materials Science & Engineering A590** (2014) 132–139 <http://dx.doi.org/10.1016/j.msea.2013.10.007>

2013

Y. Chen, A. Aman, M. Lugovy, N. Orlovskaya, S. Wang, X. Huang, T. Graule, J. Kuebler, Residual Stress and Biaxial Strength in Sc₂O₃-CeO₂-ZrO₂/Y₂O₃-ZrO₂ Layered Electrolytes, **Fuel Cells** 13, 2013, No. 6, 1068–1075

DOI: [10.1002/fuce.201300015](https://doi.org/10.1002/fuce.201300015)

N. Orlovskaya, M. Lugovy, V. Slyunyayev, J. Kuebler, Control of thermal residual stresses, in: *Encyclopedia of Thermal Stresses*, ed. by R. Hetnarski, Springer science+business media, 2013 (edition 2014) ISBN 978-94-007-2738-0

S.S. Scherrer, M. Cattani-Lorente, S. Yoon, L. Karvonen, S. Pokrant, F. Rothbrust, J. Kuebler, Post-hot isostatic pressing: A healing treatment for process related defects and laboratory grinding damage of dental zirconia?, **Dental Materials** 29 (2013) e180–e190

M. Lugovy, N. Orlovskaya, M. Neubert, C.G. Aneziris, T. Graule, J. Kuebler, Room temperature fatigue of ZrB₂-SiC ceramic composites, **Ceramics International** 39 (2013) 9187-9194

M. Michalkova, Z. Lences, M. Michalek, P. Kocher, J. Kuebler, P. Sajgalik, Improvement of electrical conductivity of silicon nitride/carbon nano-fibers composite using magnesium silicon nitride and ytterbium oxide as sintering additive, **Journal of the European Ceramic Society** 33 (2013) 2429-2434

N. Orlovskaya, R. Stadelmann, M. Lugovy, V. Subbotin, G. Subhash, M. Neubert, C.G. Aneziris, T. Graule, J. Kuebler, Mechanical properties of ZrB₂-SiC ceramic composites: room temperature instantaneous behaviour, **Advances in Applied Ceramics**, 2013, Vol 112, No 1, 9-16

A cut above - An innovation in industrial wood cutting, article published in: **International Innovation** 1, 2013, 40-42

<http://www.research-europe.com>

Y. Chen, N. Orlovskaya, T. Graule, J. Kuebler, Microstructure and mechanical properties of Ni/10 mol% Sc₂O₃ - 1 mol% CeO₂-ZrO₂ cermet anode for solid oxide fuel cells, **Journal of the European Ceramic Society** 33 (2013) 557-564

DOI: [10.1016/j.jeurceramsoc.2012.10.003](https://doi.org/10.1016/j.jeurceramsoc.2012.10.003)